

3-Port Portable USB 3.0 Hub plus Gigabit Ethernet

StarTech ID: ST3300G3UA



Here's a must-have accessory for your MacBook. This portable USB 3.0 hub merges your USB peripheral and RJ45 network connections into a single, convenient combination hub. It gives you two vital connection types that are often missing from modern, port-limited laptops.

This silver, sandblasted USB hub matches the finish of your MacBook, and because it features a solid-aluminum casing that's both lightweight and rugged, it's perfect for travel usage.

Looks great while expanding your connectivity

This high-quality, Apple style USB hub features a Gigabit Ethernet port, giving you an easy way to expand your MacBook connectivity. And because the hub integrates a Gigabit Ethernet port, you can add wired network connectivity to your laptop in a location where Wi-Fi® is unreliable or unavailable.

Its silver, sandblasted finish provides a unique and trendy look when compared to traditional hubs. Plus, the stylish hub provides three USB 3.0 (also known as USB 3.1 Gen 1) ports in a compact housing, without compromising on portability or design.

Portable and rugged

The hub features a rugged yet lightweight housing, so there's no need to sacrifice dependability for portability. With its compact, USB-powered design and a built-in USB cable, you can tuck the combination hub neatly into your travel bag, and avoid the nuisance of carrying multiple separate adapters.

This USB 3.0 hub is perfect for travel, such as back-and-forth trips from home to office. Plus, the compact hub takes up minimal space on a desk, so you can use it in hot-desk or BYOD (Bring Your Own Device) environments.

Save money and time

This bus-powered USB hub installs quickly and easily, and it's natively supported in Windows® 10 and 8.1, as well as Mac OS® 10.11 and 10.10, with no additional drivers or software required. You can also avoid the nuisance and cost of purchasing new devices by using the USB 3.0 hub plus GbE with your current USB 2.0 and 1.x devices.

The ST3300G3UA is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Connect to a wired, Gigabit network where Wi-Fi is limited or unavailable, such as in boardrooms, classrooms, or hotels
- Add extra USB 3.0 ports and connect your peripherals at home, in the office, or while traveling
- Look trendy and contemporary, and upgrade the connection capabilities of your MacBook, Ultrabook, or laptop

Features

- Sleek and stylish, with a silver, sandblasted finish that matches your MacBook
- Provides three USB 3.0 ports, and one Gigabit Ethernet port in a rugged, aluminum housing
- Travel friendly, with a portable, lightweight design and a built-in cable
- USB powered, so you can carry the hub with you anywhere
- Backward compatibility lets you save money and use with existing USB 2.0 and 1.x devices
- Dongle-style combination hub provides three SuperSpeed USB 3.0 ports, with throughput support up to 5Gbps
- Supports Wake-On-LAN, Energy-Efficient Ethernet, jumbo frames, full duplex flow control, VLAN tagging, and layer 2 priority encoding
- Provides overcurrent protection

Technical Specifications

Warranty	2 Years
Bus Type	USB 3.0
Chipset ID	Genesys Logic - GL3520 (USB 3.0) Realtek - RTL8153 (LAN)
Fast-Charge Port(s)	No
Industry Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
Industry Standards	IEEE 802.3az Energy-Efficient Ethernet, IEEE 802.3x Flow Control, 802.1q VLAN Tagging, 802.1p Layer 2 Priority Encoding
Industry Standards	USB 3.0 - Backward compatible with USB 2.0/1.1
Interface	USB 3.0
Interface	RJ45 (Gigabit Ethernet)
Ports	3
USB-C Device Port(s)	No
USB-C Host Connection	No
Auto MDIX	Yes
Auto-Negotiation	Yes
Compatible Networks	10/100/1000 Mbps
Flow Control	Full duplex flow control
Full Duplex Support	Yes
Jumbo Frame Support	9K max.
Maximum Data Transfer Rate	5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)
Type and Rate	USB 3.0 - 5 Gbit/s
Connector Type(s)	3 - USB 3.0 A (9 pin; SuperSpeed) Female
Connector Type(s)	1 - RJ-45 Female
Connector Type(s)	1 - USB 3.0 A (9 pin; SuperSpeed) Male
OS Compatibility	Windows® 10 (32-bit or 64-bit), 8 / 8.1 (32-bit or 64-bit), 7 (32-bit or 64-bit) Windows Server® 2012, 2008 R2 Mac OS® 10.7 and later (tested up to 10.11) Chrome OS™
Note	If connected to a USB 2.0 host port, performance may be limited
System and Cable Requirements	Host computer with a USB 3.0 port
LED Indicators	1 - Power

LED Indicators	1 - Link/Activity (Network)
Power Source	USB-Powered
Humidity	10%~90% RH (Non-condensing)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-10°C to 70°C (14°F to 158°F)
Cable Length	10.6 in [268 mm]
Color	Silver & White
Enclosure Type	Aluminum and Plastic
Form Factor	Compact
Product Height	0.7 in [18 mm]
Product Length	4.3 in [110 mm]
Product Weight	2.6 oz [75 g]
Product Width	1.3 in [34 mm]
Shipping (Package) Weight	5.1 oz [144 g]
Included in Package	1 - 3-port USB 3.0 hub plus Gigabit Ethernet

Certifications, Reports and Compatibility

