

# USB-C to DisplayPort Adapter Cable - 6 ft (1.8m) -4K at 60 Hz

Product ID: CDP2DPMM6B



This USB-C<sup>™</sup> to DisplayPort adapter cable offers a convenient solution for directly connecting your DisplayPort over USB Type-C<sup>™</sup> device to your DisplayPort monitor or projector, at up to 6 ft. away.

The adapter works with USB-C devices that support DP alt mode, such as the MacBook, ChromeBook Pixel<sup>™</sup> and Dell<sup>™</sup> XPS<sup>™</sup> models 15 and 13. It's also compatible with Thunderbolt<sup>™</sup> 3 ports.

### **Clutter-free installation**

At 6 ft. (1.8 m) in length, this adapter cable delivers a compact connection that eliminates excess adapters and cabling, ensuring a tidy, professional installation. For shorter installations, we also offer a <u>3 ft. (1m) USB-C to DP cable</u> (CDP2DPMM1MB), enabling you to choose the right cable length for your custom installation needs.

www.startech.com/au 1800 808 346



## **Data Sheet**

### Hassle-free connection with USB Type-C

The adapter cable is easy to connect, through the versatility and convenience of the USB Type-C port on your desktop, laptop or tablet. USB-C is a reversible connector, so it doesn't matter which way you plug it in, the adapter will always connect, saving you the frustration of trying to insert it correctly when you're docking your computer to your workstation or office hot desk.

### Astonishing picture quality

At four times the resolution of high-definition 1080p, you'll be amazed at the picture quality of a 4K monitor or television. This adapter cable lets you harness the video capabilities that are built into your USB Type-C connection, to deliver the astonishing quality of Ultra HD to your 4K display.

Plus, the adapter is backward compatible with 1080p displays, which makes it a great accessory for home, office or other work environments.

The CDP2DPMM6B is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Note:

Your USB-C equipped device must support video (DP alt mode) to work with this adapter.

www.startech.com/au 1800 808 346



# **Data Sheet**

#### Certifications, Reports and Compatibility









#### Applications

- Connect a USB Type-C computer to a DisplayPort projector or display in your classroom, auditorium or boardroom
- Install at your home workstation or office hot desk to make your USB-C computer compatible with your DisplayPort display

#### Features

- Reduce clutter with a compact 6 ft. (1.8 m) adapter cable
- Hassle-free connection with the reversible USB-C connector
- Astonishing video quality with support for video resolutions up to 4K at 60 Hz
- Plug-and-play installation
- No power adapter required
- Thunderbolt 3 port compatible

www.startech.com/au 1800 808 346



Hard-to-find made easy\*

# **Data Sheet**

|                             | Warranty                    | 2 Years  |
|-----------------------------|-----------------------------|--|
| Hardware                    | Adapter Style               | Cable Adapters   |
|                             | Chipset ID                  | STMicroelectronics - STM32F072CBU6   |
|                             | Converter Type              | Cable Adapters   |
|                             | Output Signal               | DisplayPort  |
|                             | Ports                       | 1  |
| Performance                 | Audio Specifications        | 7.1 surround sound   |
|                             | Maximum Digital Resolutions | 3840 x 2160 @ 60 Hz  |
|                             | Supported Resolutions       | 1024x768<br>1280x720 (High-definition 720p)<br>1920x1080 (High-definition 1080p)<br>1920x1200<br>2560x1440<br>2560x1600<br>3840x2160 (Ultra HD 4K) |
|                             | Wide Screen Supported       | Yes  |
| Connector(s)                | Connector A                 | 1 - USB-C (24 pin) DisplayPort Alt Mode Male Input   |
|                             | Connector B                 | 1 - DisplayPort (20 pin) Male Output   |
| Environmental               | Humidity                    | 20%-70%RH  |
|                             | Operating Temperature       | 0°C to 40°C (32°F to 104°F)  |
|                             | Storage Temperature         | -40°C to 80°C (-40°F to 158°F)   |
| Physical<br>Characteristics | Accent Color                | Black  |
|                             | Color                       | Black  |
|                             | Product Height              | 0.4 in [10 mm]   |
|                             | Product Length              | 70.9 in [1800 mm]  |
|                             | Product Weight              | 1.8 oz [51 g]  |
|                             | Product Width               | 0.8 in [20 mm]   |
| Packaging<br>Information    | Shipping (Package) Weight   | 2.1 oz [59 g]  |
| What's in the Box           | Included in Package         | 1 - USB-C to DisiplayPort Cable  |

Product appearance and specifications are subject to change without notice.

www.startech.com/au 1800 808 346