



# HP Sales Central

## HP LaserJet 550-sheet Paper Tray ( LOH17A )

Active as of 1/05/2017

### Detailed Specifications

---

**Accessory type**

Input

**Additive metric depth**

0

**Additive metric height**

148

**Additive metric width**

0

**Compatibility**

HP LaserJet Enterprise M607n K0Q14A, HP LaserJet Enterprise M607dn K0Q15A, HP LaserJet Enterprise M608n K0Q17A, HP LaserJet Enterprise M608dn K0Q18A, HP LaserJet Enterprise M608x K0Q19A, HP LaserJet Enterprise M609dn K0Q21A, HP LaserJet Enterprise M609dh K0Q20A, HP LaserJet Enterprise M609x K0Q22A, HP LaserJet Managed E60055dn MOP33A, HP LaserJet Managed E60065dn MOP35A, HP LaserJet Managed E60065x MOP36A, HP LaserJet Managed E60075dn MOP39A, HP LaserJet Managed E60075x MOP40A

**Count of cartons per pallet layer**

4

**Count of layers in pallet**

14

**Country of origin**

Made in China

**Dimension note (imperial)**

Without trays and covers; not extended

**Electromagnetic compatibility**

CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014 (EU), EN 61000-3-3: 2013 (EU), EN 55024: 2010 (EU), EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 6 Class A (US/Canada). Other EMC approvals as required by individual countries

**Image legal disclaimer**

Product image may differ from actual product

**Maximum additive metric depth**

0

**Maximum additive metric height**

0

**Maximum additive metric width**

0

**Maximum input capacity (sheets)**

Up to 550 sheets

**Media sizes, custom**

3.90 x 5.83 to 8.5 x 14 in

**Media sizes, custom**

99 x 148 to 216 x 356 mm

**Media types**

Paper (plain, light, bond, recycled, heavy, pre-printed, pre-punched, colored, rough), mono transparency, labels, letterhead

**Metric depth**

466

**Metric height**

148

**Metric width**

426

**Minimum dimensions (W x D x H)**

16.7 x 18.3 x 5.8 in

**Minimum dimensions (W x D x H)**

426 x 466 x 148 mm

**Non-Operating Humidity Range**

10 to 90% RH

**Operating humidity range**

10 to 80% RH

**Operating temperature range**

15 to 32.5°C

**Operating temperature range**

15 to 32.5°C

**Orderable product number**

LOH17A

**Package dimensions (W x D x H)**

23.5 x 9.72 x 22.2 in

**Package dimensions (W x D x H)**

597 x 247 x 564 mm

**Package weight**

13.2 lb

**Package weight**

6 kg

**Pallet dimensions**

47.2 x 39.37 x 93.97 in

**Pallet dimensions (W x D x H)**

1000 x 1200 x 2387 mm

**Pallet weight**

1049.4 lb

**Pallet weight**

476 kg

**Product long name specifications**

HP LaserJet 550-sheet Paper Tray

**Quantity per pallet**

56

**Safety**

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); Low Voltage Directive 2014/35/EU with CE Mark (Europe); Other safety approvals as required by individual countries

**Smaller master carton barcode**

#BLANK##

**Storage temperature range**

-22 to 140°F

**Storage temperature range**

-30 to 60°C

**Tariff numbers**

8443992550 (AM-Base-HTS); 8443999000 (EU-Base-HTS); 84439990 (AP-Base-HTS)

**Tray capacity**

550

**UNSPSC code**

44101705

**UPC number**

889894213488

**Warranty**

90 Day HP Dealer Exchange. Warranty and support options vary by product, country and local legal requirements. Go to [hp.com/support](http://hp.com/support) to learn about HP award winning service and support options in your region.

**Warranty**

90 Days, Return to HP - Parts Only

**Weight**

12.6 lb

**Weight**

5.7 kg

**What's in the box**

HP LaserJet 550-sheet Paper Feeder; Documentation (Hardware Install Guide)

*© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. HP shall not be liable for technical or editorial errors or omissions contained herein.*