



Hewlett Packard
Enterprise

HPE SN1200E 16GB DUAL PORT FIBRE CHANNEL HOST BUS ADAPTER (Q0L14A)

Host Adapters



WHAT'S NEW

- 16 Gb Single Port Fibre Channel Host Bus Adapter
- 16 Gb Dual Port Fibre Channel Host Bus Adapter

OVERVIEW

Is your data center poised to take the 16 Gb step in Fibre Channel (FC) connectivity?

The growth in enterprise flash storage and the deployment of servers with multi-core processors is driving the need for high

performance storage networking to prevent application performance bottlenecks. The FC Host Bus Adapter (HBA) is a critical element of this storage network to improve storage performance.

The HPE SN1200E 16Gb Fibre Channel Host Bus Adapters deliver the high bandwidth, low latency and high IOPs to meet any application requirements, from online transaction processing or data warehousing to backup/restore and OpenStack Cinder block storage.

Supporting higher virtual machine density on powerful host servers, the SN1200E 16Gb HBAs delivers increased ROI on enabling more applications and virtual machines to run on a single server and I/O port without impacting SLAs. The 16 Gb FC HBA is backward compatible with 8 and 4 Gb FC storage networks to protect legacy investments.

FEATURES

The High Performance Fibre Channel Host Bus Adapters

The HPE SN1200E 16Gb Fibre Channel Host Bus Adapters deliver twice the I/O performance of 8Gb Fibre Channel (FC) Host Bus Adapters (HBAs) while being backward compatible with 8 and 4Gb FC environment.

Moving to 16 Gb technology provides the infrastructure required for the more powerful servers and data intensive applications of the future.

When using storage intensive applications like backup/restore, database transactions, virtualization and rich media, the improved I/O performance enables faster storage and retrieval of data.

Faster Flash

The HPE SN1200E 16Gb Host Bus Adapters accelerate the time to business insight by completing data warehousing queries faster than 8 Gb FC HBAs.

Meets the massive bandwidth requirements of flash storage arrays.

Increases the performance of flash-based storage by prioritizing mission critical traffic in congested networks with exclusive ExpressLane feature.

Better Virtualization

The HPE SN1200E 16Gb Host Bus Adapters provides near limitless scalability to support increased virtual machine (VM) density with 2x more on-chip resources and bandwidth than previous offerings.



Improves the virtual desktop infrastructure (VDI) end-user experience with low latency features providing noticeable improvements during boot storms (degradation of service that occurs when a significant number of end-users boot up within a very narrow time frame and overwhelm the network).

Simplifies management and installation with OneCommand Manager plugin for VMware® vCenter® server.

Enhanced Features

The HPE SN1200E 16Gb Fibre Channel Host Bus Adapters are designed to support emerging NVM Express (NVMe) over Fibre Channel storage networks.

Provides latest security features that averts unauthorized access to the Host Bus Adapter (HBA) firmware.

T10 Protection Information (T10-PI) data integrity with high performance hardware offload provides data protection from the server to the storage array.

Technical specifications

HPE SN1200E 16Gb Dual Port Fibre Channel Host Bus Adapter

Product Number (SKU)	Q0L14A
Compatible operating systems	Please visit https://www.hpe.com/storage/spock for the latest available information on Operating System support
Minimum dimensions (H x W x D)	120.7 x 21.5 x 185.7 mm
Weight	154 g



For additional technical information, available models and options, please reference the [QuickSpecs](#)

HPE POINTNEXT

Access expertise at every step of your IT journey with [HPE Pointnext Services](#). [Advisory Services](#) focuses on your business outcomes and goals, to design your transformation and build a roadmap tuned to your unique challenges. Our [Professional](#) and [Operational Services](#) help speed up time-to-production and keep your IT stable and reliable.

Operational Services from HPE Pointnext Services

- [HPE Datacenter Care](#) helps modernize and simplify IT operations. Partner with an assigned account team, access technical expertise, an enhanced call experience gives you priority access, choose hardware and software support, implement proactive monitoring to help stay ahead of issues, and access HPE IT best practices and IP.
- [HPE Proactive Care](#) offers an enhanced call experience and helps reduce problems with personalized proactive reports and advice. This also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.). [Read more](#)
- [HPE Foundation Care](#) helps when there is a problem and has a choice of response levels. Collaborative software support is included and provides troubleshooting help for ISVs running on your server. [Read more.](#)

Other related services

[Defective Media Retention](#) is optional and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

[HPE Service Credits](#) offers a menu of technical services, access additional resources, and specialist skills.

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.



HPE GREENLAKE

[HPE Greenlake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like [IT financing solutions](#), please [explore them here](#).

Make the right purchase decision.
Contact our presales specialists.

[Call for availability](#)



**Hewlett Packard
Enterprise**

© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

OpenStack® is a trademark and/or registered trademark of the OpenStack Foundation in the United States and other countries. VMware® is a registered trademark of VMware, Inc. in the United States and/or other jurisdictions. vCenter™ is a trademark of VMware, Inc. in the United States and/or other jurisdictions.

Image may differ from the actual product
[PSN1009474282USEN](#), October, 2020.