



# HP t640 Thin Client

The highly secure thin client optimized for workplace productivity

Tackle your hybrid local and virtual computing workloads with the HP t640 Thin Client. Help keep your data and device safe across your workflows with built-in security features. Choose the right fit for your specific users and environment with a range of subsystem options.



## Maximize what you can accomplish

- Empower your workforce with performance that conquers every task—an AMD Ryzen™ R1505G processor<sup>1</sup>, high-speed, responsive system memory, and native support for up to three UHD/4K displays.

## Refined security

- Encrypt data as it flows between the system memory and processor, protect firmware, and lock down access with an inherently secure thin client that has AMD Memory Guard, an embedded OS, and a NIST SP800-193 component.

## Modern flexibility

- Select from up to 35 different subsystem options, including wired or wireless networking and support for legacy peripherals. Conveniently position the thin client in up to six different orientations with an integrated VESA mount.<sup>2</sup>

## Value-added software

- Remotely setup and deploy your devices and get local-quality multimedia with exclusive software that makes our thin clients capable, responsive, and reliable.

## HP t640 Thin Client Specifications Table



<b>Available Operating Systems</b>	Windows 10 IoT Enterprise LTSC 2019 HP ThinPro
<b>Browser</b>	Internet Explorer (for models with Windows 10 IoT Enterprise LTSC 2019); Mozilla Firefox (for models with HP ThinPro)
<b>Available Processors<sup>1</sup></b>	AMD Ryzen™ R1505G with Radeon™ Vega 3 Graphics (2.4 GHz base clock, up to 3.3 GHz max boost clock, 1 MB cache, 4 cores)
<b>Maximum memory</b>	32 GB DDR4-2400 SDRAM <sup>3</sup> Transfer rates up to 2400 MT/s
<b>Memory slots</b>	2 SODIMM
<b>Internal storage</b>	16 GB up to 512 GB Flash memory <sup>2</sup>
<b>Display support</b>	Up to three UHD/4K displays with three DisplayPort™ 1.2 video outputs provided at the back of the system.
<b>Available Graphics</b>	Integrated: AMD Radeon™ Vega 3
<b>Protocols</b>	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme
<b>Audio</b>	Internal amplified speaker system for basic audio playback
<b>Ports and Connectors</b>	Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 1 audio-in; 2 USB 2.0; 2 USB 3.1 Gen 1; 3 DisplayPort 1.2
<b>Input devices</b>	HP USB Business Slim Keyboard; HP USB Optical Mouse;
<b>Communications</b>	LAN: Realtek RTL8111HSH GbE; Allied Telesis AT-27M2/SC M.2 Fast Ethernet; Allied Telesis AT-29M2/SC M.2 Gigabit; Allied Telesis AT-29M2/LC M.2 Gigabit <sup>4,5</sup> ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ;
<b>Available Software</b>	HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent <sup>6</sup>
<b>Power</b>	45 W smart external power adapter
<b>Dimensions</b>	3.5 x 19.6 x 19.6 cm (Vertical orientation.)
<b>Weight</b>	1 kg (Weight will vary depending on configuration.)
<b>Energy efficiency compliance</b>	ENERGY STAR® certified; EPEAT® 2019 registered <sup>7</sup>
<b>Environmental specifications</b>	Low halogen <sup>8</sup>

## HP t640 Thin Client

### Accessories and services (not included)

---

**HP 5-year Next Business Day Thin Client Only Hardware Support HP 5-year Next Business Day Thin Client Only Hardware Support**



HP Care Pack

Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit [www.hp.com/go/cpc](http://www.hp.com/go/cpc).  
**Product number: U7933E**

---

# HP t640 Thin Client

## Messaging Footnotes

<sup>1</sup> Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock speed.

<sup>2</sup> Mounting hardware sold separately.

## Technical Specifications Footnotes

<sup>1</sup> Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock speed.

<sup>2</sup> For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes.

<sup>3</sup> Graphics chipset uses part of the total system memory (RAM) for graphics performance. System memory dedicated to graphics performance is not available for other use by other programs.

<sup>4</sup> Optional or add-on feature.

<sup>5</sup> Wireless cards are optional or add-on features and requires separately purchased wireless access point and internet service. Availability of public wireless access points limited.

<sup>6</sup> Software is dependent on operating system installed. Please refer to this product's QuickSpec for more details.

<sup>7</sup> Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit [www.epeat.net](http://www.epeat.net) for more information.

<sup>8</sup> External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

Sign up for updates [hp.com/go/getupdated](https://hp.com/go/getupdated)

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Wi-Fi® is a registered trademark of Wi-Fi Alliance®.

AMD and Radeon are trademarks of Advanced Micro Devices, Inc. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Wi-Fi® is a registered trademark of Wi-Fi Alliance®.

4AA7-5797EEAP, July 2019

--

