

Citrix SFP-TX Compatible SFP Transceiver Module - 10/100/1000Base-TX

Product ID: SFP-TX-ST



The SFP-TX-ST is a Citrix SFP-TX compatible copper transceiver module that has been designed, programmed and tested to work with Citrix brand switches and routers. It delivers dependable 1 GbE connectivity over copper cable, for 1000Base-T compliant networks, with a maximum distance of up to 100 m (328 ft).

Technical Specifications:

- **Maximum Data Transfer Rate:** 1000 Mbps (1 Gbps)
- **Type:** Copper
- **Connection Type:** RJ-45
- **Maximum Transfer Distance:** 100 m (328 ft)
- **MTBF:** 510,469,759 hours
- **Power Consumption:** Low power consumption
- **Digital Diagnostics Monitoring (DDM):** No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Certifications, Reports and Compatibility



Features

- 100% Compatibility with Citrix SFP-TX guaranteed
- StarTech.com SFP modules are backed by a lifetime warranty
- Uses a cost-effective cabling alternative to fiber-optic set ups
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption
- Hot-swappable with fiber-optic modules

	Warranty	Lifetime
Hardware	Compatible Brand	Citrix®
Performance	DDM	No
	Maximum Data Transfer Rate	1.00 Gbps
	MTBF	510,469,759 hours
	Power Consumption (In Watts)	< 1W
	Type	Copper
Connector(s)	Connector A	1 - SFP Slot Plug
	Connector B	1 - RJ-45 Female
Physical Characteristics	Product Height	13.800
	Product Length	0.5 in [1.4 cm]
	Product Width	68.000
	Weight of Product	15.000
Packaging Information	Package Height	31.000
	Package Length	115.000
	Package Width	90.000
	Shipping (Package) Weight	50.000
	Fiber Operating Mode	Full-Duplex

Product appearance and specifications are subject to change without notice.