



HP Sales Central

HP Color LaserJet Enterprise M555dn (7ZU78A)

Active as of 1/10/2020



Overview

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

<http://www.hp.com/go/learnaboutsupplies>

The world's most secure printing²

The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.

Common Criteria certified³ to continually monitor memory activity to detect and stop attacks in real time.

Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

Enhanced productivity to empower workgroups

Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

Easily access, print, and share resources with built-in Ethernet and optional wireless networking.⁸

Easily manage jobs directly at the printer with a customizable 4.3-inch (10.9 cm) color touchscreen.

Easy to use, simple to manage

HP FutureSmart firmware can be updated with the latest features¹ to optimize your investment for years to come.

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁵

Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.

Sustainability is smart business

Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁹

Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.¹⁰

Help save energy intelligently by using only the power you need with HP Auto-On/Auto-Off Technology.¹¹

Replaces

Status	Product Name	Discontinued	SKU
Discontinued	HP Color LaserJet Managed M553dnm	20/08/2020	B5L38A

Specifications

Functions

Print

Print speed black (ISO, A4)

Up to 38 ppm⁶

(Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.)

Print Speed Color (ISO)

Up to 38 ppm⁶

(Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.)

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (A4)

Up to 38 ipm

First page out black (A4, ready)

As fast as 6.7 sec

First page out color (A4, ready)

As fast as 7.6 sec

Duty cycle (monthly, A4)

Up to 80,000 pages

(Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.)

Recommended monthly page volume

2000 to 10000

(HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)

Number of users

5-15 Users

Print technology

Laser

Print quality black (best)

HP ImageREt 3600

Print quality color (best)

HP ImageREt 3600

Processor speed

1.2 GHz

Print languages

HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)

Display

4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)

Print colors

Yes

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Mac compatible

Yes

Printer Management

HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)

Security management

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability); Whitelisting (loads only known good code DLLs, EXEs, etc.); Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

Mobile printing capability

HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing⁵

(To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>)

Wireless capability

Optional, enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A

Connectivity, standard

1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket

Connectivity, optional

HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A

Minimum System Requirements

2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;

Minimum System Requirements for Macintosh

2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com;

Compatible Operating Systems

Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd

Compatible Network Operating Systems

Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, "Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see <http://hp.com/go/unixmodelscripts>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see <http://hp.com/go/unixmodelscripts>, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd

Memory

1 GB

Maximum Memory

2 GB

Memory Slots

1 slot, 90-pin DDR3 Slim DIMM

Internal Storage

Optional, 500 GB (with accessory B5L29A)

Paper handling input, standard

100-sheet multipurpose tray, 550-sheet input tray 2

Paper handling input, optional

550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5

Maximum input capacity (sheets)

Up to 2300 sheets

Paper handling output, standard

250-sheet output bin

Paper handling output, optional

none

Output capacity

Up to 250 sheets

Maximum output capacity (sheets)

Up to 250 sheets

Finished output handling

Sheetfed

Duplex printing

Automatic (standard)

Paper trays, standard

2

Paper trays, maximum

5

Envelope Feeder

No

Media sizes supported

Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm

Media types

Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined

Media weight, supported

Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic Duplexer: 60 to 163 g/m²

Power

Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier)

Power supply type

Built-in 115V or 220V Power Supply

Power consumption

622 watts (Printing), 31.3 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN)

(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. EnergyStar Version 3.0 TEC is not comparable to EnergyStar Version 2.0 TEC values or BA TEC values. BA uses EnergyStar Version 2.0 TEC. EnergyStar value typically based on measurement of 115V device)

Typical electricity consumption (TEC) number

1.368 kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0)

Energy efficiency

Blue Angel; CECP; ENERGY STAR® qualified; EPEAT® Silver

Energy star certified

Yes

Operating temperature range

10 to 32°C

Recommended operating humidity range

30 to 70% RH

Minimum dimensions (W x D x H)

458 x 479 x 380 mm

Maximum dimensions (W x D x H)

820 x 785 x 455 mm

Weight

27.5 kg

UPC number

(201) 194850413872; (AB0) 194850413896; (AB2) 194850413902; (ABJ) 194850413919; (ABT) 194850413926; (ABY) 194850413933; (AC4) 194850651175; (AC8) 194850413940; (ACQ) 194850413964; (AKV) 194850413971; (B13) 194850413988; (B19) 194850413995; (BAZ) 194850414008; (BBU) 194850414015; (BGJ) 194850414022; (BGM) 194850414039

Package weight

31.3 kg

Quantity per pallet

16 (AMS), 12 (APJ, EMEA)

Pallet weight

521 kg (AMS), 396 kg (APJ, EMEA)

Country of origin

Made in Japan

What's in the box

Printer
Four preinstalled HP LaserJet toner cartridges (yield ~5,500 pages black, ~3,500 pages cyan, magenta, yellow composite)
Toner collection unit
In-box documentation
Power Cord

Cable included

No, please purchase USB cable separately

Replacement cartridges

HP 212A Black Original LaserJet Toner Cartridge (~5,500 pages) W2120A; HP 212A Cyan Original LaserJet Toner Cartridge (~4,500 pages) W2121A; HP 212A Magenta Original LaserJet Toner Cartridge (~4,500 pages) W2123A; HP 212A Yellow Original LaserJet Toner Cartridge (~4,500 pages) W2122A; HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages) W2120X; HP 212X High Yield Cyan Original LaserJet Toner Cartridge (~10,000 pages) W2121X; HP 212X High Yield Magenta Original LaserJet Toner Cartridge (~10,000 pages) W2123X; HP 212X High Yield Yellow Original LaserJet Toner Cartridge (~10,000 pages) W2122X

(Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>)

Software included

No software solutions are included in the Box
only on <http://hp.com>
<http://123.hp.com>

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Overview

- 1 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- 2 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims
- 3 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>
- 5 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
- 8 Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- 9 Dependent upon country setup specifications.
- 10 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
- 11 HP Auto-On/Auto-Off Technology capabilities subject to printer and settings. May require a firmware upgrade.

Specifications

- 5 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>
- 6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Specifications

Accessories

HP Color LaserJet 550-sheet Media Tray B5L34A, HP Color LaserJet Printer Stand B5L51A, HP 1 GB 90-Pin DDR3 DIMM G6W84A, HP 1 GB 90-Pin DDR3 TAA Version DIMM 2NR03A, HP SmartCard NIPRNet Solution for US Government CC543B, HP Secure High Performance Hard Disk Drive B5L29A, HP TAA Version Secure Hard Disk Drive 5EL03A, HP JetDirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP Jetdirect LAN Accessory 8FP31A, HP Removable Hard Drive Enclosure 2NR12A, HP Accessibility Assistant 2MU47A, HP Universal Card Reader X3D03A, HP Legic Secure USB Reader 4QL32A, HP HIP2 Keystroke Reader Y7C05A, HP Internal USB Ports B5L28

Acoustic power emissions (active, printing)

6.3 B(A) (Printing at 38 ppm)

Acoustic power emissions (ready)

4.7 B(A)

Acoustic power note

Acoustic values are subject to change. For current information see <http://www.hp.com/support>.
Configuration tested: base model, simplex printing, A4 paper at an average of 38 ppm.

Acoustic pressure emissions bystander (active, printing)

51 dB(A) (Printing at 38 ppm)

Acoustic pressure emissions bystander (ready)

34 dB(A)

Additional information about HP

<http://www.hp.com>

Additional information about HP in the countries

<http://www.hp.com/uk>

Automatic paper sensor

Yes

Blue Angel compliant

Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies

Blue Angel footnote

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.

Blue angel footnote number

[4]

Bottom margin (A4)

2 mm absolute/5 mm assured image

Cable included

No, please purchase USB cable separately

Capacity

Optional 500 GB Hard Disk

Certifications and compliances

UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.

Code name

Madrid ULT

Compatible Network Operating Systems

Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, "Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see

<http://hp.com/go/unixmodelscripts>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see <http://hp.com/go/unixmodelscripts>, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd

Compatible Operating Systems

Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd

Connectivity, optional

HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A

Connectivity, standard

1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket

Control panel

4.3-in touchscreen with color graphics

Copyright notice

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Count of cartons per pallet layer

4

Count of layers in pallet

4 (AMS), 3 (APJ, EMEA)

Country of origin

Made in Japan

Datasheet photo 1

AHID/c03497af5ed9a4ddbaf9196e32165a9e8170818

Datasheet photo 3

[https://prism.houston.hp.com/PRO.Crystal.1/DAMHandler/Publication/photos/M555x front wyh-1.jpg](https://prism.houston.hp.com/PRO.Crystal.1/DAMHandler/Publication/photos/M555x%20front%20wyh-1.jpg)

Datasheet photo 4

[https://prism.houston.hp.com/PRO.Crystal.1/DAMHandler/Publication/photos/M555x back wyh-1.jpg](https://prism.houston.hp.com/PRO.Crystal.1/DAMHandler/Publication/photos/M555x%20back%20wyh-1.jpg)

Datasheet publication number

4AA7-7948EEP

Display

4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)

Display area (imperial)

3.74 x 2.32 in

Display area (metric)

95.04 x 53.86 mm

Downloadable software

From <http://123.hp.com>-, HP Easy Start (Guided Software Install for Windows and Mac), From <http://hp.com> for Windows OS-, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <http://hp.com> for Mac OS-, HP Easy Start (Guided Software Install), HP Mac OS Print Driver, HP Easy Admin, For Mobile OS-, iOS For more information

see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>, From <http://hp.com> for printer administrators-, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Website: 1. Go to <http://www.hp.com/support>. Select the country/region; 2. Select Drivers & Downloads; 3. Enter a product name/number; 4. Under Drivers and software/Driver language, select the language to receive a download in the language desired; 5. Select the operating system version; 6. Then select DOWNLOAD for the software desired.

Duplex printing

Automatic (standard)

Duty cycle (monthly, A4)

Up to 80,000 pages

Duty cycle (monthly, letter)

Up to 80,000 pages

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Electromagnetic compatibility

CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.

Energy efficiency

Blue Angel; CECP; ENERGY STAR® qualified; EPEAT® Silver

Energy efficiency compliance footnote

EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

Energy savings feature technology

HP Auto-On/Auto-Off Technology; Instant-on Technology

Energy star certified

Yes

Envelope Feeder

No

Environmental

Mercury free

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Finished output handling

Sheetfed

First page out black (A4, ready)

As fast as 6.7 sec

First page out black (A4, sleep)

As fast as 9 sec

First page out black (letter, ready)

As fast as 6.6 sec

First page out black (letter, sleep)

As fast as 8.5 sec

First page out color (A4, ready)

As fast as 7.6 sec

First page out color (A4, sleep)

As fast as 9 sec

First page out color (letter, ready)

As fast as 7.5 sec

First page out color (letter, sleep)

As fast as 9 sec

First page out footnote

Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

First page out footnote number

[8]

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

Functions

Print

Image legal disclaimer

Product image may differ from actual product

Internal Storage

Optional, 500 GB (with accessory B5L29A)

Left margin (A4)

2 mm absolute/5 mm assured image

Legal disclaimer

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

Mac compatible

Yes

Maximum dimensions (W x D x H)

32.3 x 30.9x 17.9 in

Maximum dimensions (W x D x H)

820 x 785 x 455 mm

Maximum input capacity (sheets)

Up to 2300 sheets

Maximum Memory

2 GB

Maximum output capacity (sheets)

Up to 250 sheets

Maximum print area

212 x 352 mm

Media size, tray 1

A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL ISO); 76 x 127 to 216 x 356 mm

Media size, tray 2

A4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 102 x 148 to 216 x 297 mm

Media size, tray 3

A4; RA4; A5; B5 (JIS); 16K; 102 x 148 to 216 x 356 mm (standard in M553x)

Media sizes supported

Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm

mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm

Media sizes supported

Tray 1: Letter, Legal, Oficio, Executive, Statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, Postcard (JIS), Double Postcard (JIS), 8.5 x 13, Envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: Letter, Executive, Statement, 4 x 6, 5 x 7, 5 x 8, Double Postcard (JIS); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: Letter, Legal, Oficio, Executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in

Media sizes supported, key

10 x 15 cm; A4; Envelopes

Media sizes supported, key

4 x 6 in; Letter; Legal; Envelopes

Media sizes, custom

Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm

Media type and capacity, tray 1

Sheets (75 g/m² paper): 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (216 g/m²): 30; Envelopes: 10

Media type and capacity, tray 2

Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²), Transparencies: 200

Media type and capacity, tray 3

Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²), Transparencies: 200

Media types

Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined

Media weight (tray 1)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weight (tray 2)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weight (tray 3)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper) (standard in M553x)

Media weight, supported

Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Optional Trays 3+: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Automatic Duplexer: 16 to 43 lb

Media weight, supported

Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic Duplexer: 60 to 163 g/m²

Memory

1 GB

Memory Slots

1 slot, 90-pin DDR3 Slim DIMM

Memory upgrade

Expandable to 2 GB through 1 GB 90-pin DDR3 DIMM

Minimum dimensions (W x D x H)

18 x 18.9 x 15 in

Minimum dimensions (W x D x H)

458 x 479 x 380 mm

Minimum System Requirements

2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see [microsoft.com](https://www.microsoft.com);

Minimum System Requirements for Macintosh

2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS

hardware requirements see apple.com;

Mobile printing capability

HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing

Mobile printing capability footnote

To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>

Mobile printing capability footnote number

[5]

Network capabilities

Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).

Network protocols, supported

Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Number of users

5-15 Users

Operating humidity range

10 to 80% RH

Operating temperature range

10 to 32°C

Operating temperature range

50 to 91°F

Orderable supplies

HP LaserJet 110v Fuser Kit B5L35A, HP LaserJet 220v Fuser Kit B5L36A, HP Color LaserJet Toner Collection Unit B5L37A

Output capacity

Up to 250 sheets

Package dimensions (W x D x H)

23.6 x 19.7 x 23.6 in

Package weight

31.3 kg

Package weight

68.9 lb

Page yield (set-up/inbox cartridges)

~5,500 pages black, ~3,500 pages cyan, magenta, yellow composite yield

Page yield footnote

Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

Page yield footnote number

[2]

Pallet dimensions

47.3 x 39.4 x 100 in (AMS), 47.3 x 39.4 x 76.7 in (APJ, EMEA)

Pallet weight

1148 lb (AMS), 872 lb (APJ, EMEA)

Pallet weight

521 kg (AMS), 396 kg (APJ, EMEA)

Paper handling input, optional

550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5

Paper handling input, standard

100-sheet multipurpose tray, 550-sheet input tray 2

Paper handling output, optional

none

Paper handling output, standard

250-sheet output bin

Paper trays, maximum

5

Paper trays, standard

2

Photo (product photo, jpg, 70x100)

Printing and Digital Imaging/CB504A_70x100.jpg

Power

Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier)

Power consumption

622 watts (Printing), 31.3 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN)

Power consumption Note

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device

Power supply type

Built-in 115V or 220V Power Supply

Print colors

Yes

Print languages

HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)

Print quality black (best)

HP ImageREt 3600

Print quality black (normal)

Up to 600 x 600 dpi

Print quality color (best)

HP ImageREt 3600

Print resolution black (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (normal)

Up to 600 x 600 dpi

Print Resolution Technologies

HP ImageREt 3600, Pantone Calibrated

Print speed

Print speed up to 40 ppm (black) and 40 ppm (color)

Print speed (A4/letter) footnote number

[6]

Print speed black (ISO, A4)

Up to 38 ppm

Print speed black (ISO, letter)

Up to 40 ppm

Print speed black (Landscape, A5)

Up to 59 ppm

Print speed black (Portrait, A5)

Up to 6 ppm

Print Speed Color (ISO)

Up to 38 ppm

Print speed color (ISO)

Up to 40 ppm

Print speed color (Landscape, A5)

Up to 59 ppm

Print speed color (Portrait, A5)

Up to 6 ppm

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (letter)

Up to 40 ipm

Print speed duplex (letter)

Up to 40 ipm

Print speed footnote

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Print speed footnote (A5)

Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document content.

Print speed footnote number (A5)

[7]

Print technology

Laser

Print Technology

Laser

Printer Management

HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)

Printer smart software features

Apple AirPrint™, Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3" touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs

Processor speed

1.2 GHz

Product note

FCC Class A emissions device for use in commercial environments, not residential environments[13]

Quantity per pallet

16 (AMS), 12 (APJ, EMEA)

Recommended media weight (duplex)

Automatic: 105 to 220 g/m² (glossy), 60 to 163 g/m² (plain); Manual: 60 to 220 g/m² (all types)

Recommended media weight (duplex)

Automatic: 28 to 58 lb (glossy), 16 to 43 (plain); manual: 16 to 58 lb (all types)

Recommended monthly page volume

2000 to 10000

Recommended monthly page volume note

HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Recommended operating humidity range

30 to 70% RH

Recommended operating temperature range

15 to 27°C

Recommended operating temperature range

59 to 80.6°F

Replacement cartridges

HP 212A Black Original LaserJet Toner Cartridge (~5,500 pages) W2120A; HP 212A Cyan Original LaserJet Toner Cartridge (~4,500 pages) W2121A; HP 212A Magenta Original LaserJet Toner Cartridge (~4,500 pages) W2123A; HP 212A Yellow Original LaserJet Toner Cartridge (~4,500 pages) W2122A; HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages) W2120X; HP 212X High Yield Cyan Original LaserJet Toner Cartridge (~10,000 pages) W2121X; HP 212X High Yield Magenta Original LaserJet Toner Cartridge (~10,000 pages) W2123X; HP 212X High Yield Yellow Original LaserJet Toner Cartridge (~10,000 pages) W2122X

Replacement cartridges footnote

Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

Replacement cartridges footnote number

[2]

Right margin (A4)

2 mm absolute/5 mm assured image

RMN number

BOISB-1406-02

Safety

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.

Security management

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability); Whitelisting (loads only known good code DLLs, EXEs, etc.); Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

Services

HP 1 year Post Warranty 4 hour 9x5 Service for ColorLaserJet M55x MFP

Services

HP 1 year Post Warranty Next Business Day Service for ColorLaserJet M55x MFP

Services

HP 1 year Post Warranty Parts Exchange Service for ColorLaserJet M55x MFP

Services

HP 2 year Post Warranty Next Business Day Service for ColorLaserJet M55x MFP

Services

HP 3 year 4 hour 9x5 Service for ColorLaserJet M55x MFP

Services

HP 3 year Next Business Day Service for ColorLaserJet M55x MFP

Services

HP 3 year Parts Exchange Service for ColorLaserJet M55x MFP

Services

HP 4 year 4 hour 9x5 Service for ColorLaserJet M55x MFP

Services

HP 4 year Next Business Day Service for ColorLaserJet M55x MFP

Services

HP 4 year Parts Exchange Service for ColorLaserJet M55x MFP

Services

HP 5 year 4 hour 9x5 Service for ColorLaserJet M55x MFP

Services

HP 5 year Next Business Day Service for ColorLaserJet M55x MFP

Services

HP 5 year Parts Exchange Service for ColorLaserJet M55x MFP

Services (Care Pack)

U8CG3E-HP 3y NBD CLJ M55x SVC; U8CG4E-HP 3y 4h 9x5 CLJ M55x SVC; U8CG5E-HP 3y 4h 13x5 CLJ M55x SVC; U8CG6E-HP 4y 4h 9x5 CLJ M55x SVC; U8CG7E-HP 4y 4h 13x5 CLJ M55x SVC; U8CG8E-HP 5y 4h 9x5 CLJ M55x SVC; U8CG9E-HP 5y 4h 13x5 CLJ M55x SVC; U8CH0E-HP 4y NBD CLJ M55x SVC; U8CH1E-HP 5y NBD CLJ M55x SVC; U8CH2E-HP 3y NBD CTR CLJ M55x SVC; U8CH3E-HP 4y NBD CTR CLJ M55x SVC; U8CH4E-HP 5y NBD CTR CLJ M55x SVC; U8CH5E-HP 3y 2nd Day CTR CLJ M55x SVC; U8CH6E-HP 4y 2nd Day CTR CLJ M55x SVC; U8CH7E-HP 5y 2nd Day CTR CLJ M55x SVC; U8CH8E-HP 3y ChnlPartsOnly CLJ M55x SVC; U8CH9E-HP 4y ChnlPartsOnly CLJ M55x SVC; U8CJ0E-HP 5y ChnlPartsOnly CLJM55x SVC; U8CU1E-HP 3yNBDw/Max 3 Maintenance kit CLJ M55x SVC; U8CU2E-HP 4yNBDw/Max 4 Maintenance kit CLJ M55x SVC; U8CU3E-HP 5yNBDw/Max 5 Maintenance kit CLJ M55x SVC; U8CJ1PE-HP 1y PW ChnlPartsOnly CLJ M55x SVC; U8CJ2PE-HP 1y PW NBD CTR CLJ M55x SVC; U8CJ3PE-HP 1y PW 2nd Day CTR CLJ M55x SVC; U8CJ4PE-HP 1y PW NBD CLJ M55x SVC; U8CJ5PE-HP 1y PW 4h 9x5 CLJ M55x SVC; U8CJ6PE-HP 1y PW 4h 13x5 CLJ M55x SVC; U8CJ7PE-HP 2y PW NBD CLJ M55x SVC; U9JT1E-HP Inst SVC w/nw Personal Scanner & Print; UL623E-HP MKRCM3530/M575MFP/CP3525/M55x 110VSVC; UL622E-HP MKRCM3530/M575MFP/CP3525/M55x 220VSVC

Services description headline 01

U8CG3E

Services description headline 02

U8CH0E

Services description headline 03

U8CH1E

Services description headline 04

U8CG4E

Services description headline 05

U8CG6E

Services description headline 06

U8CG8E

Services description headline 07

U8CH8E

Services description headline 08

U8CH9E

Services description headline 09

U8CJ0E

Services description headline 10

U8CJ4PE

Services description headline 11

U8CJ7PE

Services description headline 12

U8CJ5PE

Services description headline 13

U8CJ1PE

Software includedNo software solutions are included in the Box, only on <http://hp.com>, <http://123.hp.com>**Standard input capacity (envelopes)**

Up to 10

Standard media sizes (duplex)

A4; A5; RA4; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm)

Standard media sizes (duplex, imperial)

Letter; Legal; Executive; Oficio (8.5 x 13 in)

Standard output capacity (envelopes)

Up to 10 envelopes

Standard output capacity (transparencies)

Up to 100 sheets

Storage

4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk

Storage temperature range

-20 to 40°C

Storage temperature range

-4 to 104°F

Supplies feature

HP JetIntelligence Cartridge

Target user and print volume

For teams up to 15 users; Prints up to 10,000 pages/month

Tariff numbers

8443321010 (National HTS) 8443321010 (AM Base HTS); 8443321000 (EU Base HTS); 84433231 (AP Base HTS)

Tech spec footnote[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.**Tech spec footnote**[2] Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>. HP Color LaserJet Enterprise M554, M555, and MFP / Flow MFP M578 in-box color cartridges may have higher yield than stated for printer units manufactured before 2021.**Tech spec footnote**

[3] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

Tech spec footnote

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.

Tech spec footnote[5] To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>**Tech spec footnote**[6] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software

application, driver, and document complexity.

Tech spec footnote

[7] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document content.

Tech spec footnote

[8] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Technology logo, print 1

Publication logos/new logo with no mopria wyh.jpg

Top key features

Roam; Two-sided printing; Energy Efficient; Strong Security

Top margin (A4)

2 mm absolute/5 mm assured image

Typical electricity consumption (TEC) footnote

Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

Typical electricity consumption (TEC) footnote number

[3]

Typical electricity consumption (TEC) number

1.368 kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0)

UPC number

(201) 194850413872; (AB0) 194850413896; (AB2) 194850413902; (ABJ) 194850413919; (ABT) 194850413926; (ABY) 194850413933; (AC4) 194850651175; (AC8) 194850413940; (ACQ) 194850413964; (AKV) 194850413971; (B13) 194850413988; (B19) 194850413995; (BAZ) 194850414008; (BBU) 194850414015; (BGJ) 194850414022; (BGM) 194850414039

Warm-up time

As fast as 176 sec

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Waste electrical and electronic weight

24.0 kg

Weight

27.5 kg

Weight

60.6 lb

Weight note (imperial)

With printer cartridges

Weight note (metric)

With printer cartridges

What is in the box footnote

Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>. HP Color LaserJet Enterprise M554, M555, and MFP / Flow MFP M578 in-box color cartridges may have higher yield than stated for printer units manufactured before 2021.

What is in the box footnote number

[2]

What's in the box

Printer; Four preinstalled HP LaserJet toner cartridges (yield ~5,500 pages black, ~3,500 pages cyan,

magenta, yellow composite); Toner collection unit; In-box documentation; Power Cord

Wireless capability

Optional, enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. HP shall not be liable for technical or editorial errors or omissions contained herein.