

HP M32f FHD Monitor (2H5N0AA) Active as of 25/01/2021



Overview

The highest definition of comfort and design.

Lose yourself in the picture-perfect immersion of this massive canvas, designed to redefine comfort, wellness, and sustainability¹. Play, work, or simply stare into the new definition of high definition.

Looks Good, Feels Good, Does Good

Increase viewing comfort with Eyesafe technology that doesn't sacrifice color quality. Monitor designed with sustainability in mind with 85% recycled materials and packaged in recycled materials¹. Doing good never looked so good.

This FHD display feels as good as it looks, packing 99%

The New Definition of High Definition

sRGB color gamut for color accuracy and Freesync to keep your eyes up to speed with your imagination².

Streamlined & Seamless

Streamline your setup with its slim profile, innovative cable containment, and seamless design for side-byside screens.

VA panel

Get wide, 178-degree viewing angles and better black levels for deep, rich contrast.

Highly accurate color

99% sRGB color space for ideal color reproduction.²

FHD display / 1080p display

Brilliant visuals and unforgettable quality from a stunning FHD display.³

Specifications

Display size (diagonal) 31.5" **Panel technology** VA

Aspect ratio

16:9

Native resolution

FHD (1920 x 1080)

Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080

Pixel pitch

0.364 mm

Brightness

300 nits

Contrast ratio 1000:1

Response time (typical) 7ms GtG (with overdrive)

Display features

On-screen controls; AMD FreeSync™; Low blue light mode; Anti-glare

Display scan frequency (horizontal)

30-86 KHz

Display scan frequency (vertical) 48-75 Hz

Onscreen controls

Brightness; Exit; Information; Management; Power control; Input control; Menu control; Image; Color

Physical security Security lock-ready

Webcam

No integrated camera

Power

100 - 240 VAC 50/60 Hz

Power supply type

External

Power consumption 30.4 W (maximum), 24.6 W (typical), 0.5 W (standby)

Operating temperature range

5 to 35℃

Minimum dimensions (W x D x H)

71.03 x 4.02 x 41.46 cm (*Without stand.*) 3

Dimensions With Stand (W x D x H)

71.03 x 21.66 x 49.48 cm

Weight

5.1 kg

UPC number 195161474392

Package dimensions (W x D x H) 82.3 x 14 x 52.7 cm

Package weight 8.8 kg

Management Software HP Display Center

Overview

- 1 Based on HP's internal analysis. Display's 85% post-consumer recycled plastic content consists of 5% ocean bound plastic materials by weight. 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Excludes plastic bags and plastic foam sheeting.
- 2 All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- 3 Full high-definition (FHD) content is required to view FHD images.

Aspect ratio

16:9

Backlight type Edge-lit

Bezel

3-sided micro-edge

Brightness

300 nits

Brightness (typical) footnote number [1]

Certifications and compliances

Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR®; EUP Lot-5; EUP Lot-6; FCC; ICES; ISO 9241-307; KC/KCC; NOM; VCCI; Vietnam MEPS; WEEE; Low blue light; EUP Lot-26; California Energy Commission (CEC); South Africa Energy; eStandby; WW application; UAE; Ukraine certificates; NRCS of South Africa

Color gamut

99% sRGB

Contrast ratio

1000:1

Copyright notice

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Curvature

Flat

Detachable stand

Yes

Dimension note (imperial) Without stand.

Dimensions (W x D x H) Note

Without stand.

Dimensions With Stand (W x D x H) 71.03 x 21.66 x 49.48 cm

7 1.05 X 2 1.00 X 49.46 Cm

Display area (imperial)

27.5 x 15.47 in

Display area (metric) 69.84 x 39.28 cm

Display contrast ratio (dynamic) 10000000:1

1000000.1

Display features

On-screen controls; AMD FreeSync™; Low blue light mode; Anti-glare

Display footnote number

[1]

Display Input Type 2 HDMI 1.4 (with HDCP support)

Display scan frequency (horizontal) 30-86 KHz **Display scan frequency (vertical)** 48-75 Hz **Display size (diagonal)** 31.5" **Display size (diagonal)** 80 cm (31.5") Ethernet No Flicker-free Yes Hardness 3H HDCP Yes, HDM HDMI 2 HDMI 1.4 Height adjustment range No height adjust Horizontal viewing angle 178° Image legal disclaimer Product image may differ from actual product **Integrated privacy filter** No Low blue light modes Yes, Eyesafe® Certified **Management Software HP Display Center** Microphone No Minimum dimensions (W x D x H) 27.96 x 1.58 x 16.32 in Minimum dimensions (W x D x H) 71.03 x 4.02 x 41.46 cm **Native resolution** FHD (1920 x 1080) Native resolution footnote number [1] **Non-Operating Humidity Range** 5 to 95% **Onscreen controls** Brightness; Exit; Information; Management; Power control; Input control; Menu control; Image; Color **Operating humidity range** 20 to 80% non-condensing **Operating temperature range** 41 to 95°F **Operating temperature range** 5 to 35℃ Package dimensions (W x D x H) 32.4 x 5.51 x 20.74 in Package dimensions (W x D x H)

82.3 x 14 x 52.7 cm

Package weight 19.4 lb

Package weight 8.8 kg

Panel bit depth 8 bit

Panel technology VA

Physical security Security lock-ready

Physical security footnote number

[2]

pivot

No pivot

Pixel pitch 0.364 mm

Pixels per inch (ppi)

70 ppi

Power

100 - 240 VAC 50/60 Hz

Power consumption

30.4 W (maximum), 24.6 W (typical), 0.5 W (standby)

Power supply type External

Product brand name HP

Product dimensions with stand (W x D x H)

27.96 x 8.52 x 19.48 in

Resolution (maximum) FHD (1920 x 1080 @ 75 Hz)

Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080

Response time (typical)

7ms GtG (with overdrive)

Response time footnote number

[1]

Screen treatment

Anti-glare

Speakers

No

swivel

No swivel

Tech spec footnote

[1] All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Tech spec footnote

[2] Lock sold separately.

Tech spec footnote

[3] Based on US EPEAT[®] registration according to IEEE 1680.1-2018 EPEAT[®]. EPEAT[®] status varies by country. Visit www.epeat.net for more information.

Tech spec footnote

[4] Included cables may vary by country.

Tilt

-5 to +25°

Touch-enabled Not touch-enabled

UNSPSC code 43211902

UPC number 195161474392

Vertical viewing angle 178°

170

VESA mounting

Not VESA mount compatible

Webcam No integrated camera

Weight

11.24 lb

Weight

5.1 kg

Weight note (imperial) With stand.

Weight note (metric) With stand.

What is in the box footnote number

[4]

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. HP shall not be liable for technical or editorial errors or omissions contained herein.